

INDEX

Numbers in *italics* refer to tables; numbers in **bold** refer to illustrations

- Abbreviated injury scale (AIS) 7–8
Abdominal
 examination 279
 investigations 281
 paradox 338
Acceleration of head 27–8, 30, 31, 32–3, 34,
 41, 45, 59
 duration of force 30, 31–2, **121**
 Penn 1 and 2 impact model 121, 126
Accident
 insurance, Australia 16
 site
 management at 271–2
 transfers from, controlling ICP and
 CPP 393
ACE inhibitors 317, 323
Acetazolamide 90, 254, 388
Acidosis, cerebral 131
Acute
 hyponatremia 317
 treatment 319
 lung injury 345, 349, 350
 physiological and chronic health
 evaluation score (APACHE II) 282
 respiratory distress syndrome (ARDS)
 350–1
 subdural hematoma *see* Subdural
 hematoma
Adenosine 91
Adenosine triphosphate (ATP) 91, 128
Adrenalin 356, 357, 372, 373
Adrenoreceptors 94
Advance directives 444
Advanced
 Pediatric Life Support program (APLS)
 72
 Trauma Life Support system (ATLS) 71,
 72, 271, 289
Aeromedical service 273, 283
Aerosol nebulizers 348
Afterload 337
Age
 age-dependent distribution, ICP 102
 age-specific mortality rate 4
 biomechanical effects and 123–6
 and prognosis 163
 reaction to injury 459
Agitated patients 341
Agonist-gated ion channels 124, 125, **133**,
 134, 432
Airbags 18, 19
Airliners, passenger **285**, 286, 287
Airway management
 after initial resuscitation 344
 initial resuscitation 277, 340–2
Akinetic mutism 159
Albumin infusions 296, 298–9, 303, 342, 356
Alcohol
 abuse 283
 coagulopathy 420, 421
 control 17
 intoxication, subarachnoid hemorrhage
 61
 levels, GCS depression 150
Alfentanil 367, 380
Alpha
 coma 232
 frequency, return of 234
Altitude, effects of 288–9
Alveolar ventilation (V_A) 335–6
Alveoli
 distribution of O₂ from atmosphere
 334–6
 O₂ delivery from to tissues 336–7
 overdistension 345
Alzheimer's disease 65
Ambient pressure, effect of altitude 289
Ambulance officer's case report **274–5**, 276
American Association of Neurological
 Surgeons 71, 269
American Brain Injury Consortium 436
American College of Surgeons
 Committee on Trauma 150
 fluid management recommendations 305
Amiloride 323
Amino acids 307, 308
 required for protein synthesis 313
Amino steroids 399, 429
Amnesia 14, 21, 44, 47, 156–7, 159–61, 454,
 456
AMPA-receptor antagonists 83, 432
Amplitude transfer function, systems
 analysis 113, 114, 115
Amyloid precursor protein (APP) markers
 42, 43, 45, 47
Anaerobic metabolism 91, 128, 129, 137, 301
Anal tone, lax 279
Analgesia 286, 342, 379–80
 at accident site 272
 opioids 309, 343, 345, 367, 373, 374
Anemia 298
Anesthesia
 assessment and preparation 373
 emergence and recovery 379–80
 induction 341, 373–4
 inhaled anesthetic agents 369–71
 intravenous agents 363–7
 maintenance 374–7
Aneurysms 85, **176**
Angiography 173, 201
 brain death 206
 internal carotid dissection 201, **203**
 traumatic aneurysm **176**
Angle of isonation (TCD) 244, 245
Angular acceleration of head 27–8, 30, 31,
 33, 34, 45, 59
 boxing 65
 role in injury 32–3
Anosmia 450
 smell testing 157
ANP, sodium regulation 312
Anterior cerebral arteries, TCD 245, 246
Antibiotics 355
 for CNS infections 463
 dural fistula 420
 empirical use 350
Anticoagulants, low dose 351–2
 aspirin therapy 421
Anticonvulsants 378–9
 discontinuation 452
 prophylactic 453, 454
Antidiuretic hormone (ADH), release of
 309, **311**, 312
Antilock electronic braking systems 18
Anxiety 454
Apallic state 159
Apathy 457, 458
Apnea 338
Apoptosis 135, 137
Apparent diffusion coefficients (ADC) 82
Appendices 463–4
Aptiganel HCH 434
Arachidonic acid metabolism, modulators
 of 399, 430

- Arachnoid
granulations 388
tears 60
- Arm weakness 155
- Arterial
catheterization, pressure measurement 343
gas tension 90–1
see also $P_a\text{CO}_2$; $P_a\text{O}_2$
oxygen content ($C_a\text{O}_2$) 336–7
- Arteriovenous oxygen difference (AVDO₂) 95, 96, 144, 218, 222
fall in, hyperventilation 395
- Aspiration, gastric contents 349, 373, 374
- Aspirin therapy 421
- Assisted mechanical ventilation 346
- Asthma 282, 333
- Astrocytes 92, 94, 124, 128
anaerobic glycolysis 129–30
swelling of 131, 132, 206, 266
- Astrocytic end feet, swelling of 126, 138
- Ataxia 158, 441
- Ataxic respiration 338
- Atracurium 368
- Attention, tests of 455
- Augmentation duraplasty 417
- Australia
compulsory insurance scheme 16
mortality 6, 7
children and infants 13
population-based study 10
- Auto PEEP 346–7
- Autoregulation 97, 143, 294, 388
and cerebral blood flow (CBF) 91
cerebrovascular pressure transmission 215
impairment of 74, 89–90, 104, 115, 298, 365
lower limit 393
therapeutic window 253
transcranial Doppler assessment 250–2, 253
- Autoregulatory threshold 252, 253
- Avitene 415
- AVPU coma scale 150
- Axonal injury 41–6, 80
effect of shear forces 125–6
quantitation 40
see also Diffuse: axonal injury (DAI)
- Axonal injury sector score (AISS) 40, 44
- Axoplasmic stasis 126
- 'Ayala's index' 106
- Back, examination 279
- Barbiturates 97, 133, 139, 355, 365–6, 397–9
actions of 90, 398
clinical evaluation 427–8
complications and contraindications 398
dose and duration 398–9
indications 397–8
monitoring 398
pupillary responses 398
SSEP responses 239
- Barotrauma 345, 346
- Basal
cerebral arteries, Doppler signals 244
circulatory arrest 255
see also Middle cerebral arteries
cisterns, imaging 200
ganglia hemorrhages 56–7, 185
imaging, CT 187, 188, 189, 206
- Base of skull fractures 26, 55, 62, 84, 156, 374
cribriform plate 340, 344
diabetes insipidus 320
infection 84
internal carotid artery injury 85
petrous 84, 156, 237, 451
sphenoid 168, 173, 451
surgery 420
- Basilar artery 89
ischemia 201, 203
- Battle's sign 84, 156
- Bedside nursing charts 105
- Behavioural disorders 454
frontal lobe syndromes 456
- Benign intracranial hypertension 386
- Benzodiazepines 345, 365, 366–7, 379
- Beta A4 deposits 65
- Beta-blockers 339, 357, 372
- Bicoronal flap 413, 415
- Bifrontal craniotomies 417, 418
- Bimolecular leaflet cell membrane 124
- Biomechanics 25–7, 121–3
brain injury mechanisms 29–34
effects of age 123–6
experimental studies 28–9
tolerance of head to impact 34–6
- Blindness, cortical 450
- Blood
alcohol concentration (BAC) 17
flow velocity (FV) *see* Flow velocity (FV)
pressure 155–6
arterial catheterization 343
during anesthesia 375–6
mean arterial (MAP) 303, 337, 343, 375
relationship with ICP 105
see also Hypertension; Hypotension
transfusions 298, 337, 342
coagulopathy 420
hemorrhagic shock models 305
- Blood-brain barrier (BBB)
astrocytic membranes 124
breakdown 61, 73, 76, 80, 306
imaging 180
transient opening 61, 138, 266
effect on brain metabolism 92
physiology 297
- Bohr equation, modified 335
- Boxing injuries 12, 65–6, 127
- Brachial plexus paralysis 155
- Bradycardias 339
- Bradykinin antagonists 435
- Brain
abscess 84–5
pH 90, 131, 263–4, 265
swelling 40, 48–50, 80–3, 138–9, 385, 388, 390, 392, 409
children 82–3, 387
compliance measurements 389
intraoperative 138, 139, 204, 398, 417–18, 419
lobectomy 417
resolution 139
surgical decompression 417
volume 388
- Brain death 444–7
diabetes insipidus 320
diagnosis 445–6
effects of barbiturate treatment 398
oculovestibular reflex 154
radiology 206
transcranial Doppler 255
validity of criteria 446–7
withdrawal of treatment 443, 444
- Brain injury
assessment of severity 40, 158–64
biomechanics of 25–36
effects of age 123–6
definition 5
mechanism of 40–1
pattern of 392
- primary 39, 40, 71–3, 385
relationship to raised ICP 102–5
see also Contusions; Diffuse axonal injury (DAI); Extradural hematoma; Intracerebral hemorrhage; Lacerations; Subdural hematoma
- secondary 39, 40, 63, 64, 135–6, 266, 357, 385, 423
extracranial 73–5
intracranial 75–7
relationship to raised ICP 102–5
see also Brain: swelling; Hypoxic-ischemic brain injury; Ischemia
- Brain Injury Foundation 269
- Brain-stem
auditory evoked potentials (BAEPs) 229, 236–7, 239
depression, reversible causes 445
failure 445
lesions 61–4, 340
arterial hypotension 156
clinical signs 154
focal 43–4
imaging 175, 178
pyrexia 85
syndrome 449
- Breathing patterns, head injured patients 338
- Bridging veins 32, 122
rupture 34, 41, 65, 126, 127
acute subdural hematoma 59
- Burns 4–5
- Burrholes, exploratory 79, 411–13
- 'Burst lobes' 59–60, 128, 190
frontal 59
temporal 55, 59
- Burst suppression, EEG 232
barbiturates 397, 398, 427
- Cabin pressurization 288
- Calcarine cortex, lesions of 450
- Calcium
channel antagonists 75, 76, 77, 134, 430–2, 435
influx 81, 133–4, 137
prevention of 75, 77
levels, spinal injuries 327
- Calories 313
- Calorimetry, indirect 337–8
- Camino transducer 212, 213
- Canada, mortality 7
- Capillary
density 89
hydrostatic pressure 306
- Capnography 335, 341, 375
- Carbamazepine 454
- Carbon dioxide 90, 91, 92–3
control of 347–8
see also Hypercapnia; Hyperventilation; Hypocapnia
production 335
reactivity 90, 97, 253, 377, 388, 398
hyperventilation 394
propofol 364
TCD assessment 254
see also $P_a\text{CO}_2$
- Carbon monoxide poisoning 283
- Cardiac
arrest 48, 111, 444
dysrhythmias 339
output 337
response to acute injury 338
in shock 302
tamponade 279

- Cardiogenic
 edema 354
 shock 356
- Cardiorespiratory
 arrest, brain-stem death 445
 instability, MRI 171
 parameters 155–6
 physiology 334–8
- Cardiovascular
 conditions, pre-existing 282
 support 333–61
- Carotid
 arteries 89
 occlusions 85
 bifurcation, Doppler tracing 245, 246
 cavernous fistula 85
- Case fatality rate 4
 population-based studies 9
- Catecholamines 94, 356, 357
- Catheter-tip transducers, ICP monitoring 212, 213, 215
- Causation, head injury 10–12
- Cell
 cell membranes 295, 297
 and ion channels 123–4
 function and injury 121–41
- Central
 pontine myelinolysis 318
 venous catheterization 353
 complications and contraindications 354
 venous pressure (CVP) 303, 343, 352, 376
- Centroid, high-frequency 114
- Cephalic reference electrodes, EEG 230
- Cerebellar coning 63, 80
- Cerebral
 atrophy 60, 123, 137, 185, 204, 457
 compression, stages of 105, 106
 edema *see* Edema: cerebral
 hemispheres
 injury to dominant 157
 sequelae after injury to 449–50, 455–6
 swelling of one 49
 perfusion
 electrical activity as marker of 103
see also Cerebral perfusion pressure (CPP)
 pharmacology 363
 resistance vessels 394
- Cerebral blood flow (CBF) 89, 102, 243
 effects of hematocrit on 90
 flow probes 144
 following head injury 95–7
 flow-metabolism uncoupling 96, 131, 133
 measurements
 clinical methods 217–18
 indirect methods 222–3
 laser Doppler flowmetry 221
 MRI 221–2
 overview 217–18
 relationship to MCA blood flow 245
 thermal diffusion technique 221
 xenon 218–21
 neurotransmitters and 94
 normal values 94
 perfusion imaging 266
 regulation of 90–1
 relationship with CPP and ICP 103–4, 109
 studies 47, 74
 mechanism of tissue damage 136–7
- Cerebral blood volume (CBV) 96, 388, 389
 dynamic CT technique 220–1
- Cerebral function monitor 232
- Cerebral metabolism 91–4
 cerebral blood flow regulation 90–1
see also Cerebral blood flow (CBF)
 cerebral hemodynamics 89–90
 following head injury 95–7
 magnetic resonance spectroscopy (MRS) 261–8
 measurements 217–19
 intracerebral microdialysis 223–4
 positron emission tomography 224, 225, 226
 normal values 94–5
- Cerebral perfusion pressure (CPP) 74, 294, 354, 356, 385
 children 83
 critical threshold 115
 definition 388
 during anesthesia 376
 pressure-passive 357
 relationship with ICP 89–90, 386, 390–1
 and CBF 103–4, 109
 transcranial Doppler 115, 250, 251, 252–3
 treatment for reduced
 goals of treatment 392
 optimal CPP 356
 protocols 402–4
 ventilation 354
- Cerebromalacia 180, 182, 184
- Cerebrospinal fluid (CSF)
 contribution to raised ICP 109, 387
 displacement of 389
 lactate concentration 264
 leakage 156, 197, 420
 outflow resistance 107, 108–9, 116
 pressure wave form 214
 removal 106
 ventricular catheters 394
 spinal pressure as measure of ICP 209
 volume 388
- Cerebrovascular
 function, effects of therapy on 354–5
 pressure transmission analysis 214–15
 reactivity 90, 97, 253, 254
 resistance 89–90, 102
- Cervical spine
 imaging 167, 168, 170, 171, 281
 injury
 abdominal paradoxical breathing 338
 endotracheal intubation 277, 278, 341, 374
 fractures 272
- Chemical shift, MRS 262
- Chest X-ray 168, 281
 ARDS 350, 351
- Cheyne-Stokes breathing 338
- Chiasmal lesions 450
- Child abuse 32, 78
 retinal hemorrhages 155
 shaken baby syndrome 204
- Children
 brain death, diagnosing 446
 brain swelling 49, 82–3
 cause of injury 11, 12–14
 EEG measurements 231
 extradural hemorrhage 59, 79
 hyperemia 83, 254
 outcome 163
 epilepsy risk 453
 final examination 164
 pediatric coma scales 150–1
 proton MRS study 263
 raised ICP 102
 pulse rate 155
 retrospective PTA measurements 160
 seat belts 14, 19
 testing cognition 157
 xenon CBF measurements 94–5
see also Infants
- Children's Orientation and Amnesia Test (COAT) 161
- Chlorpromazine 309
- Chronic
 hyponatremia 317
 treatment 317, 318, 319
 obstructive pulmonary disease (COPD) 282, 333
 subdural hematomas 60, 79
 venous extradural hematomas 78
- Chylomicrons 313
- Circle of Willis 63, 89
- Classification, head injury 5–6
- Clinical
 evaluation
 applications 161, 163
 treatments undergoing 425–36
 examination 145–58, 276–7
 definitive 145, 156–8
 initial 145–56
 and outcome 163–4
 roles and limitations 145
 topic reports 4
- Closed
 barrier edema *see* Cytotoxic edema
 head injury, biomechanics *see* Biomechanics: brain injury
 mechanisms
- Clothing
 protective 276
 removal of patient's 278
- Coagulopathy 79, 420–1
 congenital 283
 diffuse intraoperative bleeding 419
 hypothermia 400
- Codeine phosphate 380
- Codman MicroSensor 212, 213
- Cognition
 deficits of intellectual function 442, 454–7
 magnesium homeostasis 264
 tests of 157
 conclusions about 457
- Collateral vessels 89
- Colloid
 osmotic pressure (COP) 295, 306
 solutions 278, 298, 302–3, 342, 356, 377
 effect on normal brain 306
 effects after brain injury 306–7
 synthetic 299, 300
 versus crystalloid solutions 304–5
- Coma 40, 148, 149
 duration of 146, 159, 163
 EEG measurements 230–2
 power spectral analysis 233–4
 hyperglycemic hyperosmolar non-ketotic 327
 loss of consciousness 122, 136
- Coma scales 146, 147–50
 advantages and disadvantages 144
 pediatric 150–1
- Community Trauma Center 20
- Compartment syndromes 281
- Compliant cavities, gas expansion 288, 289, 369
- Compound depressed fractures 83, 84
 risk of epilepsy 452, 453
- Compounds under evaluation 430, 433, 434, 435
- Computed tomography (CT) 71–2, 77, 143, 145, 167, 169–71, 206, 343, 409
 abdominal injuries 281

- Computed tomography (CT) *contd*
atrophy, correlation with performance IQ 457
bifrontal decompressive craniotomy **418**
blood-brain barrier (BBB) breakdown 180
brain death 206
brain edema 81–2
brain engorgement studies 139
cervical spine 168
scout film **170**
contusions **174, 177, 180, 181–3, 184, 187, 198, 418**
diagnostic categories, types of
abnormality 409, **410**
diffuse brain injury 40, 57
extradural hematomas 58, 186, **189, 190, 191, 194, 414**
indications 169, **171**
intracerebral hematomas 173, **174–5, 176, 177**
raised ICP 391, 392
scout films **170, 413, 414**
subarachnoid hemorrhage **174, 192, 194, 195, 196**
subdural hematomas **82, 175, 178, 181, 184, 191, 192, 193, 194, 195, 197**
three-dimensional (3D) reconstruction 168, **169**
transtentorial herniation 199
vegetative state 447
xenon techniques 94–5, 96, 97, 217, 219–21, **224**
- Concurrent medical conditions 281–3, 290, 333
- Concussion 30, 31, 32, 122
ICD-9 CM rubric 6
mitochondrial changes 80
MRI 180, **186**
syndromes of 41, 46–7
- Confusion, post-coma disturbance (PCD) 161
- Congenital coagulopathies 283
- Congestive brain swelling 48, 49, 80, 387
- Coning 63, 80
fall in CPP **257**
- Consciousness
ICD-9 CM rubric 6
level of 146, **147, 148, 158**
loss of 122, 136
- Consensual light reflex 151, 153
- Contact injuries 41
- Continuous positive airway pressure (CPAP) 347
- Contralateral hematomas 418
- Contrecoup injuries 26–7, 41
contusions 53, 54
- Controlled ventilation 277
- Contusion
hemorrhages 51
index 40
necrosis 51, **52**
- Contusions 72, 122, 126, 197, 410
boxing 65
brain-stem 62
clinicopathological correlations 55
experimental injuries 54–5
ICD-9 CM rubric 6
imaging 173, 180, 200
CT **174, 177, 181–3, 184, 187, 198, 418**
MRI **172, 179, 184**
pathology 51–4
removal 416
swelling around 49
- Convective oxygen transport 336
- Core body temperature 376, 377
effect on ICP 402
- Corectopia 153
- Corneal reflex 158
- Corpus callosum, focal lesions **42, 43, 46**
- Cortical
blindness 450
blood flow measurements 221
electrical activity 102–3
hemorrhages 52
- Corticosteroids 138
clinical evaluation 428
- Costs 15–16
ICP monitoring 213
- Count, epidemiology 3, 4
- Coup contusions 41, 53, 62
- Cranial nerve
function 154
testing 158
palsies 79, 152, 153, 441, 450–1
- Craniectomy 412, 413, 415, 417
- Craniomaxillofacial injury 4
- Craniospinal volume and pressure relationships 106, 109, **110, 111**
mathematical model 107
- Craniotomy 293, 409
acute subdural hematoma 415–16
bifrontal **417, 418**
exploratory burrholes 411–13
extradural hematoma 413–15
for ICP reduction 400, 417
preoperative preparation 411
- Cribriform plate fractures 340, 344
- Cricothyrotomy 277, 278, 341
- Crush
injuries 121
syndrome 279
- Crystalloid solutions 298, 300, 301, 302–3, 377
effects after brain injury 306–7
effects on normal brain 306
versus colloid solutions 304–5
- CSF *see* Cerebrospinal fluid (CSF)
- CT *see* Computed tomography (CT)
- Curare 368
- Cushing response 74, 339, 389, 394
- Cyclists *see* Pedal cycle accidents
- Cyclooxygenase inhibitors 430
- Cytokines 309
systemic inflammatory response syndrome (SIRS) 338
- Cytotoxic edema 49, 73, 80, 81, 82, 131, 138, 139, 180, 200, 266, 390
- Data
bias in mortality 3
collection, head injury surveillance 20
- Dead space 335
- Death
certificates 7
genes 435
- Deceleration injury 121
- Deep vein thrombosis 351
- Definitions
epidemiology 3, 4
head injury 4–5
- Definitive examination 145, 156–8
organization 156
timing 156
- Dehydration 355
mannitol treatment 396, 397
- Delayed
complications, outcome 451–4
intracerebral hemorrhage 58, 175, 401
- Delta activity, EEG 234
- Dementia pugilistica 12, 65
- Denitrogenation, encysted air 289
- Depolarizing muscle relaxants 367–8
- Depression 454, 458, 459
- Desflurane 363, 371
- Dexamethasone 81, 428
- Dextrans 299, 303, 306
- Dextrose solutions 300, 301
- Diabetes 282, 377
insipidus 308, 312, 320
treatment 321
mellitus 323
- Diazepam 366–7, 379
- Diffuse
axonal injury (DAI) 40, 41, 42–6, 57, 72, 73, **121, 122, 125–6, 136**
boxing 65
brain-stem 63
clinicopathological features 44
grading 44
imaging 180, 185, **186, 187, 188, 189**
immunocytochemical markers 44–5
in infancy 45
late sequelae 46
macroscopic markers 43–4
magnetization transfer imaging 266
microscopic diagnosis 42–3
non-traumatic 46
pathogenesis 45–6
vegetative state 64–5, 448
intraoperative bleeding
management 419–20
prevention 418, 419
vascular injury 40, 57, 61
- Diffusion gradient 336
- Diffusion-weighted imaging (MRI) 81, 82, 266
- Diffusive oxygen transport 336, 337
- Diplopia 450
- Disability Rating Scale 441
- Disinhibition 456
- Disseminated intravascular coagulation (DIC) 420
- Dizocilpine (MK801) 434
- Dobutamine 356, 357
- Documentation and charting
ambulance officer's case report **274–5, 276**
during patient transportation 286
neurological observation sheet **147**
see also Coma scales
- Doll's eye test **152, 154**
- Donnan equilibrium effect 295
- Dopamine 356, 357
receptors (D₂) 94
- Doppler shift 244
- Dr ABC acronym 271
- Driver behavior 19
- Drug overdose, EEG measurements 232
- Drugs
affecting response to trauma 282
illicit use 283
- Dura, opening 413
- Dural
fistula 420
hitching sutures 415
sinus pressure 387
venous sinus thrombosis 202
- Duraplasty 400, 416, 417
- Duret hematoma 175, **178**
- Dynamometry 158
- Dysarthria, testing for 157
- Dysphagia 158
- Dysphasia 440, 450
testing for 157

- Ectopic pupil 153
- Edema
 cardiogenic 354
 cerebral 52, 73, 80–3, 108, 138–9, 355, 390
 CT appearance 171
 diffusion-weighted imaging (MRI) 266
 hypertonic solutions 302
 pathophysiology 82
 plasma osmotic pressure 306
 treatment 81, 83
 types of 49
 gastrointestinal tract 305
 interstitial 49, 81–2, 301, 337
 peripheral 305
 pulmonary 296, 305, 345
 neurogenic 326–7, 340, 351, 354
- Eighth cranial nerve damage 451
- Elastance 107
 brain tissue 111, 389–90
 craniospinal system 106, 109, **110**
- Elderly patients 123, 238
 water replacement 312
- Electrical
 function monitoring
 goals 229
 methods and modalities 230–41
 problems and limitations 229–30
 noise 230
- Electrocardiography (ECG) 339, 343, 375
- Electrocerebral silence 232
- Electroencephalography (EEG) 229, 230–4
 advantages and disadvantages 144
 brain death 446
 vegetative state 447
- Electrolytes 293, 294
 disorders of water and electrolyte balance 315–26
 effect of stress on movement 309
 ICF and ECF 294–5
 osmolality and tonicity 297–8
 requirements 312–13
 solutions of 300–7
 composition 300
see also Fluids
- Eliprodril (SL820715) 434
- Emergence from anesthesia 379–80
- Emotional lability 458
- Emphysema, subcutaneous 279
- Enadoline 435
- End-tidal CO₂ 335, 341
- Endothelial
 cells 92, 299
 membrane 61, 62
 microvacuolation 126
- Endothelium-derived relaxing factor (ERDF) 91
- Endotracheal intubation 145, 149, 159, 277–8, 340–1, 344, 374
 preparation and requirements 278
- Enflurane 370
- Enteral nutrition 314
- Epidemiology 3–23
 definitions 3, 4
- Epidural hemorrhage *see* Extradural hemorrhage
- Epilepsy
 post-traumatic 65, 441, 451, 452–4
 prediction of fits 452, 453
 pre-existing 333
 status epilepticus 48, 232, 365, 464
see also Seizures
- Epinephrine 356, 357, 372, 373
- Esmolol 357, 372
- Ethacrynic acid 397
- Ethanol level, GCS depression 150
- Ethmoidectomy 420
- Etomidate 366, 374, 397
- European Brain Injury Consortium 436
- Evoked potentials 229, **231**, 234, 235–40
 advantages and disadvantages 144
 with ICP measurements, outcome 103
 multimodality monitoring 239–40
 technical principles 234
- Excitatory amino acids (EAA) 81, 125, **127**, 223
- Exercise 314
- Extracellular fluids (ECF) 294, 295
 of brain parenchyma 385, 386
 hyponatremia 315, 316, 317
 sodium movements, response to stress 309, 311–12
 tonicity 297
- Extradural hematoma 77, 78, 79, 400–1
 asymptomatic patients 410
 conservative therapy 410
 effect of operative delay 75
 ICD-9 CM rubric 6
 imaging 59, 185, 186, 188
 CT **189**, **190**, **191**, **194**, **414**
 pathology 58–9
 surgery
 craniectomy 413
 craniotomy 413–15
 exploratory burrholes 411–12
- Extrinsic PEEP 347
- Eye
 movements 154, 450
 opening
 eliciting 148, 149
 return of after coma 159
- Facial
 fractures 168
 nerve, testing 158
 palsy 451
- Faciomaxillary trauma 4, 340
- Falls
 children 12, 13
 diffuse axonal injury (DAI) 44
- Family *see* Relatives
- Fast Fourier transform algorithm (FFT) 233
- Fat use in starvation 307
- Fentanyl 343, 345, 367, 373, 374, 380
- Fibreoptic
 intubation 277, 278
 sensors 144
- Fick equation 337–8
- 'Fighting the ventilator' 344–5
- Fistulae 85, 420
- Fixed dilated pupils 151, 152
- Fixed-wing aircraft 283, **284**, **285**, 287–8, 290
- Flaccid arm or leg weakness 155
- Flail chest 279, 338
- Flexion, abnormal 149
- Flow velocity (FV) data 115, 243, 244, 245
 abnormally high 254
 CPP assessment 252
 derivatives of 247
 oscillating flow pattern, brain death 255
 raw baseline 249–50
 relationship between MCA FV and CBF 245
- Fluid challenge technique 304, 352
- Fluids 293
 abnormal losses 312
 disorders of water and electrolyte balance 315–26
 distribution in body 294–7
 of administered fluids 298–302
- effects
 on brain, i.v. fluids 305–7
 of stress on movement of 309, 311–12
 fluid therapy 312–15
 resuscitation 272, 302–5
 special problems 326–7
see also Electrolytes
- Flumazenil 367
- Focal brain injuries 39, 40, 122–3, 454–5
 brain stem 43–4
 cerebral contusions 51–3
see also Contusions
 corpus callosum **42**, 43
- Foraminal impaction *see* Cerebellar coning
- Force of impact 27
- Fractional concentration of oxygen (F_iO₂) 334
- Fracture contusions 53
- Fractures 77, 411
 brain injury severity 31
 compound depressed 83, 84
 risk of epilepsy 452, 453
 extradural hematoma 78
 infection after 83–4
 open depressed 55
 radiological appearance 167–8
see also Base of skull fractures
- Free
 magnesium, MRS studies 264, **265**
 radicals 81, 134
 scavengers of 81, 83, 299, 428–9
 transcellular fluid 295
- Freeways 17–18
- Frontal
 impacts 27, 28, 31, 35, 54
 mathematical modelling, pressure waves **122**, **123**
 motor vehicles 11, 18
 optic nerve injury 152
 lobe syndromes 456
- Fronto-orbital blink reflex 154
- Frusamide (furosamide) 317, 355, 371, 388, 396, 397
- Functional MRI 266–7
- Fundal examination 154, 155
- Gadd Severity Index 35
- Gait, assessing 158
- Galveston Orientation and Amnesia Test (GOAT) 160, 161
- Gamma hydroxybutyrate 399
- Gamma-aminobutyric acid (GABA) 94
- Gas expansion, cavities and spaces
 effects of altitude 288
 nitrous oxide 369
- Gastric feeding 314
- Gastrointestinal tract, edema 305
- Gene expression, regulation and signalling 135
- Glasgow Coma Scale (GCS) 8, 14, 40, **147**, 148, 149, 150, 155, 163, 279
 effect on outcome, intracranial hematoma 77
 Pediatric (PGCS) 151
 variant forms 148
- Glasgow motor scale 159
- Glasgow Outcome Scale 439–42
 categories, reliability and validity 440–1
- Glasgow-Liège (GLS) score 154
- Glial cells, energy consumption 92
- Gliding contusions 53, **54**, 122
 imaging
 CT **187**, **198**
 MRI **180**, **186**
- Global oxygen consumption 337–8

- Glucose
 administered 307, 308, 313, 377
see also Dextrose solutions
 brain utilization 91, 92, 94, 95
 after brain injury 93, 97, 128, **129**, **130**,
 131, 225, 226
 comatose patient 128
 cerebral metabolic rate (CMRG) 95
 transporter gene 135
- Glutamate
 receptors 432, 433
 release 128, 223, 224, 293
- Glyceral trinitrate 357, 372
- Glycolytic pathway 90, 128, 307
- Gosling Pulsatility Index 247
- Gradient echo T2-weighted sequences,
 MRI 171, **172**
- Grading of injury *see* Severity, trauma
- Guedal airway 277
- Guidelines, head injury management 71,
 269, 390–1
 conservative therapy 410
- Haber-Weiss reaction 134
- Haemaccel 299, 300, 303
- Halothane 309, 369–70, 374
- Hand-held ventilation assemblies 342, 395
- Hartmann's solution 278, 300, 301
- Head elevation 350, 355
- Head Injury Criterion (HIC) 31, 34–6
- Health Interview Survey 14
- Hearing
 loss 451
 testing 157
- Heart
 disease
 myocardial injury 339–40
 pre-existing 333
 rate 337
- Heat shock protein HSP70 135
- Helicopters 283, **284**, 287, 290
- Helmets 10, 30
 bicycle 20
 motorcycle 19–20, 32
- Hematocrit 375
 effect on CBF 90
 minimum acceptable 298
- Heme oxygenase 135
- Hemianopia
 bitemporal 450
 homonymous 79
- Hemiparesis 411, 441, 449, 450
- Hemodynamic
 management in ICU 352–7
 indices from pulmonary artery
 catheters 353
 resuscitation 342
- Hemoglobin 92, 298, 337
- Hemorrhage
 delayed 58, 175, 401
 expansion, mannitol treatment 397
 maturation, MRI appearance 176, 177, 179
- Hemorrhagic
 lesion score 40
 shock models, fluid resuscitation 304–5,
 306–7
- Hemosiderin 176, **180**
- Herniation 79–80, 388, 389, 391
 coning 63, 80, **257**
 contusions 53, **54**
 imaging 197–200
 intracranial artery occlusion 85
 relationship with ICP 386, 392
 through craniotomy 417, 419
see also Tentorial herniation
- Hetastarch 303, 306, 307
- Hippocampus
 ischemic neuronal loss 137
 long-term potentiation 125
 pathology 50
- History 145, 146, 276
- HIT II trauma trial 77
- Hollow skull bolt 211
- Holmes-Adie syndrome 152
- Homatropine 152
- Homonymous hemianopia 79
- Horseback riding 12
- Humidification, inspired gases 348
- Hydralazine 372
- Hydrocephalus 61, 78, 84, 199, 200
 controlled CSF drainage 116
 CT **175**, **177**
 post-traumatic 451
 systems analysis 114
- Hydrogen ions, role of 134
- Hydromas 60
- Hydrostatic edema 49
- Hyperbaric oxygen 400
- Hypercalcemia, spinal injuries 327
- Hypercapnia 90, 92, 106, 113, 252, 335
 CBF increase 91
 use in ARDS 351
- Hyperemia 83, 96–7, 206, 254, 387, 390, 421
- Hyperglycemia 282, 307, 377
- Hyperglycemic hyperosmolar coma,
 non-ketotic 327
- Hyperkalemia 323–4
- Hypernatremia 312, 319–22
 clinical features 320
 diagnosis 320–1
 hyperosmolar therapy 321, 322
 treatment 321
- Hyperphosphatemia 324
- Hypertension 156, 282, 339–40, 355, 375
 benign intracranial 386
 neurogenic 339
 pre-existing 333, 392
 pulmonary 336
 severe pain 380
 treatment 357, 372
- Hyperthermia 279, 377
- Hypertonic
 hyponatremia 315, 316
 saline 301, 302, 307, 342, 377, 399
 acute hyponatremia 319
 hypernatremia 322
- Hyperventilation 75, 80, 156, 347–8, 357,
 377–8, 386, 389, 394
 children 83
 combined with THAM 395, 426
 indications for 342
 prolonged 90–1, 97, 347–8, 394–5
 prophylactic 394–5
 ventilation parameters 395
- Hypoalbuminemia 299
- Hypoadosteronism 323
- Hypocalcemia 324–5
- Hypocapnia 75, 80, 90, 92, 342, 347
- Hypoglycemia 282, 377
- Hypokalemia 322–3, 325
 mannitol treatment 397
- Hypomagnesemia 324, 325–6
- Hyponatremia 75, 297, 298, 312, 315
 clinical features 316, 317
 diagnosis 317, **318**
 treatment 317–19
- Hypophosphatemia 325
- Hypotension 73, 74, 102, 103–4, 155–6,
 302, 342, 375
 barbiturate therapy 398, 427
- cerebral perfusion 104
 mannitol treatment 397
 nursing staff/computer identification 105
 propofol 364, 365
 refractory 342
 thiopentone 366
- Hypothalamic
 control, pituitary secretion 308, **310**, 312
 lesions 339
- Hypothermia 272, 279
 effect of barbiturate treatment 398
 intentional 85, 133, 138, 376–7, 400, 423
 clinical status 425–6
 rationale 425
- Hypotonic hyponatremia 316
- Hypoxia 73, 74, 106, 243, 342
- Hypoxic-ischemic injury 40, 47–8, 65, 73,
 74, 77, 81
see also Ischemia
- Ibuprofen 430
- ICP waveform pulse amplitude
 (ICPUplseu) 111–13, **115**
- Imaging 167–207, 281
- Immediate early (IE) gene expression 135
- Immunological conditions, pre-existing 282
- Impact to head 25
 biochemical consequences 133
 contusion patterns 53, 54
 experimental studies 28–9, 31–3, 45, 124,
 126
 Penn 1 and 2 primate impact model
 121, 126
 impact velocity 25–6
 location of impact 26–7
 brain injury severity 27
 recording 156
 mathematical studies 29
 observational studies 29
 response of head 27–8, 122
 tolerance of head 34–6
- Incidence 3, 4
 population-based studies 9
- Indomethacin 399
 clinical evaluation 430
- Induction of anesthesia 373–4
 rapid sequence 341
- Infants
 diffuse axonal injury (DAI) 45
 extradural hematoma 78
 pediatric coma scales 150, 151
 premature neonates 123
 prognosis 163
 retinal hemorrhages 155
 shaking 32, 204
- Infarction 137, 155, **204**
- Infection 83–5, 333
 central venous catheters 354
 intraventricular pressure recording 211
 systemic inflammatory response
 syndrome (SIRS) 338
 ventriculostomy-related 111
- Inhaled anesthetic agents 369–71
- Injury severity score (ISS) 8, 282
- Innerspace transducer 212, 213
- Inotropes 356, 372, 373
- Insight, lack of 458, 459
- Inspired oxygen tension (P_{iO_2}) 334–5
 effects of altitude 288–9
- Insulin levels 308
- Insurance, accident 16
- Intensive care
 computerized data collection system
 104, 105
 role of 333–4

- Intermediate coup contusions 41, 53
 Intermittent T-piece weaning 349
 Internal
 carotid artery
 dissection 201, 203
 occlusion 85, 155
 jugular veins 89
 International Classification of Diseases (ICD) 5–6
 Interstitial
 COP 296
 edema 49, 81–2, 301, 337
 Intracarotid xenon-133 method 218
 Intracellular
 fluids 294
 mechanisms 133–8
 Intracerebral
 air, entrapped 289
 hemorrhages 73, 78, 79, 417
 delayed hematomas 58, 175, 401
 imaging 173–80
 pathology 55–63
 surgery 410–11
 swelling around 49
 Intracranial pressure (ICP) 385–7
 and CPP, relationship between 103–4, 109, 386, 390–1
 effects of
 barbiturates 365
 head elevation 355
 opioids 367
 patient manipulations 355
 PEEP 347
 propofol 364
 suxamethonium 368
 volatile agents 369, 370
 gradients 386
 monitoring 144, 209–16, 391–2
 choosing system 213–14
 criteria for 392
 duration of 403
 historical aspects 209–10
 interpretation 214–15
 methods 210–13
 Intracranial pressure (ICP), raised 48, 60, 101–5
 brain damage secondary to 63–4, 74, 75
 causes of 385, 387, 390, 401–2
 children 83
 clinical signs 155, 391
 hippocampal pathology 50
 imaging 197–200
 management 390–2
 controlling during transportation 393
 definitive treatment 393–400
 plan of raised ICP and reduced CPP 401–4
 surgical 400–1, 417
 treatment goals 392
 physiology and pathophysiology 105–17
 pressure wave fluctuations 106, 389
 relationship
 to outcome 101–2
 to primary and secondary injury 102–5
 Intracranial volume 385, 386, 388
 measuring reserve 389
 and pressure
 current concepts 107–17
 historical concepts 105–6
 Intradural hemorrhage 78–9
 see also Subdural hematoma
 Intraocular air, entrapped 289
 Intraoperative brain swelling 138, 139, 417–18
 barbiturates 398
 Intravenous anesthetic agents 363–7
 Intraventricular
 hemorrhage (IVH) 79, 416
 imaging 177, 185, 187, 196, 197
 pathology 57
 pressure 106
 recording 211
 Intravoxel incoherent motion (IVIM) 222
 Inverted horseshoe flap 413, 415
 Ion channels, neuronal 123–4, 125, 126, 133, 134, 432
 Iowa Safety Restraint Assessment 18–19
 Ipatropium bromide 348
 Ischemia 89–90, 95–6, 102, 105, 131, 135–6, 180, 243, 423, 424
 genesis of 136
 glucose infusions 301
 hyperventilation causing 377, 395
 hypothermia 376
 imaging 201, 202, 203, 204, 205, 206
 CT 171, 200, 201, 203
 MRI 201, 202, 203
 splanchnic 337
 see also Hypoxic-ischemic injury
 Ischemic threshold, perfusion imaging 266
 Ischemic-reperfusion 47, 139
 Isoflurane 370, 371
 Isoprenaline 356, 357
 Isotonic hyponatremia 315
 Japan Automobile Research Institute (JARI) 32–3
 human head tolerance curve 36
 Jet air ambulance 285
 Jugular
 bulb pressure 96, 109
 venous saturation (SUjvO₂) 95, 96, 115, 218, 222, 243, 337, 357, 376, 390, 392
 Julia Farr Centre Post-traumatic Amnesia Scale 161, 162
 Ketamine 366, 374, 433
 Ketones 307
 Kety and Schmidt equation 217, 219
 Krebs cycle 128, 129, 307
 Krypton-85 studies 217
 Kyphoscoliosis 352
 Laboratory data 280
 Lacerations 51, 55, 72
 boxing 65
 brain-stem 62
 ICD-9 CM rubric 6
 Lacrimation, Schirmer's test 158
 Lactate
 cerebral metabolic rate (CMRL) 95, 96
 levels after brain injury 93, 128, 129, 130–1, 137, 308, 338
 MRS studies 263–4
 Lap belts 19
 Laparotomy, emergency 280
 Laryngeal trauma 340
 Laser Doppler flowmetry 218, 221
 Lateral gaze, forced 154
 Lateral impacts 27, 28, 33, 54
 motor vehicles 11
 Law of Poiseuille 90
 Le Fort III fractures 420
 Learning capacity 455, 456
 Leeds screw 211
 Left
 ventricular end-diastolic pressure and volume 352, 353
 ventricular preload 352–3
 Leg elevation 374
 Legislative penalties 19
 Leukocyte adherence, intravascular 126
 Leukopenia 83
 Lidocaine 399
 Liège Reflex Scale 154
 Lignocaine 373
 Limb
 injuries 281
 movements and reflexes, testing 145, 155, 158
 Lindegaard ratio 254
 Linear acceleration of head 27, 30, 31, 33, 34
 role in injury 32–3
 Lipid peroxidation, inhibitors of 428–30
 Lipids, intravenous 313
 Lobar intracerebral hemorrhages 55
 Lobectomy 416, 417, 419–20
 Log-rolling technique 272
 Lubeluzole 435
 Lucid interval 44, 55, 56, 77, 78, 125, 136
 Lumbar
 CSF pressure 106
 puncture 105, 209
 Lumped craniospinal compliance 107, 109, 111, 112
 Lung
 cysts, effect of altitude 289
 mechanics 336, 348
 volumes, assessment 348
 Lymphatic drainage 297
 Magnesium
 daily requirements 313
 free magnesium, MRS studies 264, 265
 levels, refractory hypokalemia 322, 323
 Magnetic resonance imaging (MRI) 167, 171–2, 206
 abdominal injuries 281
 brain death 206
 brain edema 81, 82, 138, 139, 266
 brain function studies 265
 applications to trauma 266, 267
 CBF measurements 218, 221–2
 contusions 172, 179, 180, 184
 diffuse axonal injury (DAI) 185, 186
 extradural hematomas 186, 188
 intracerebral hematomas 76, 175, 179, 180
 hemorrhage maturation, MRI appearance 176, 177, 179
 ischemia 201, 202, 203
 mannitol studies 396
 subarachnoid hemorrhage 196
 subdural hematomas 172, 190, 191, 193, 194
 transtentorial herniation 198, 199
 white matter lesions, correlation with neuropsychological tests 457
 Magnetic resonance spectroscopy (MRS) 261–8
 principles of 261–2
 Magnetization transfer imaging 266
 Maintenance of anesthesia 374
 anesthetic agents 374
 CVS homeostasis 374–5
 monitoring 375–7
 Major accident sites 272
 Malnutrition 308, 315
 Management of head injury 343–4, 390–404
 accident site to trauma center 271–91
 fluids and electrolytes 293–331
 hemodynamic 352–7
 initial resuscitation 340–3

- Management of head injury *contd*
 limiting and withdrawing treatment 443–4, 449
 respiratory 344–52
 surgery 400–1, 409–21
 treating raised ICP and reduced CPP 392, 393–400, 401–4
 duration of monitoring 403
 first-tier therapy 402
 refractory intracranial hypertension 402
 treatment algorithms 402–3
- Mannitol 97, 133, 139, 390
 clinical evaluation 426–7
 complications 397
 dose 396–7
 during transfer between hospitals 393
 hypernatremia 321, 322
 modes of action 354–5, 371, 396
 effect on brain compliance 386, 389
 effect on flow velocity (FV) 254, 255, 256
- Marmarou weight-drop model 126
- Mathematical models
 cerebrovascular bed 116–17
 CPP and autoregulatory status 253
 CSF system 107–8
 frontal impact 122
 studies, closed head injury 29
- Maturation of hemorrhage 176, 177, 179
- Maxillofacial trauma 4
- Mean arterial pressure (MAP) 303, 337, 343, 375
- Medevac 288
- Medial parahippocampal gyri 64
- Medical College of Virginia, staircase protocol 402, 403
- Medicolegal considerations
 cerebral contusions 54
 checklist of complaints 163, 164
 external findings, recording 156
 retrograde amnesia 160
- Medullary coning *see* Cerebellar coning
- Memory
 defects 454, 455, 456–7
 tests 157
see also Alzheimer's disease
- Meningitis 84, 420, 451
- Meningocerebral cicatrix 55
- Mental sequelae 439, 441, 454–9
 state 157
- Meperidine 367
- Metabolic conditions, pre-existing 282
 stress 307, 308, 309
- Metabolism 91–4
 clinical measurements 217–18, 223–6
 intracerebral microdialysis 223–4
 magnetic resonance spectroscopy (MRS) 261–8
 management of
 rationale 293–4
see also Electrolytes; Fluids
 normal values 94–5
 response to injury 95–7, 128–33, 307–12
- Metaraminol 356, 373
- Methemoglobinuria 279
- Methohexitone 366
- Methylprednisolone 428, 435
- Microchip transducers, implanted 212, 213, 215
- Microdialysis, cerebral 144, 218, 223–4
 placement of probe 225
- Microvasculature, effect of shear force 126
- Midazolam 345, 367, 374, 379
- Midbrain lesions, clinical signs 151, 152, 154
- Middle cerebral arteries
 distortion 57
 flow velocity 243, 244, 245, 255, 392
 correlation with CPP 115
 derivatives of FV 247
 high levels 254
 relationship with cerebral blood flow 245
 role in monitoring therapy 254
- ischemia 201, 202
- occlusions 85
- Midline shift 40, 109, 391
- Minor head injury
 epidemiology 8, 14–15
 children 13
 sports related 12
- extradural hemorrhage 77
- Glasgow Coma Scale 163
- postconcussive sequelae 47
- seizures 378
- skull films 167
- Missile injuries 123
- Mivacurium 368
- Modal analysis 33–4
- Monitoring advantages and disadvantages 144
 comprehensive 226
 duration of 143
 during
 anesthesia 375–7
 initial resuscitation 343
 electrical function 229–41
 fluid management 303, 304
 ICP 101, 102, 143, 209–16, 391–2, 403
 multiparameter 92, 130
 transcranial Doppler, role of 254–5
 volume status 352–3
- Morphine 309, 345, 367, 380
- Mortality 6–7, 10–13, 271, 442
 age factors 163
 bias in data 3, 7
 population-based studies 9
 predictors of 104, 150, 238
- Motor evoked potentials 103
 responses 148, 149, 155
 best motor score 159
- Motor Accidents Authority 16
- Motor vehicle accidents 10, 12, 271
 extrication from vehicle 272
 patterns of injury 11
 spinal injury 272
 design 18
- Motorcycle accidents 11
 helmets 19–20, 32
- Mouth, examination of 340
- Movement of head, response to impact 27
- MR spectroscopy 82
- MRI *see* Magnetic resonance imaging (MRI)
- Multiparameter monitoring 92, 130
- Multiple organ dysfunction syndrome 338, 351
- Muscle relaxants 373
 depolarizing 367–8
 non-depolarizing 343, 345, 368–9
- Muscle tone, assessing 155
- Myocardial injury 339–40
- N-acetyl aspartate (NAA), levels 265
- Nailbed pressure 148
- Naloxone 380
- Nasogastric intubation 277, 340
- Nasopharyngeal airways 340
- Nasotracheal intubation 277, 340, 344, 374
- National Coma Data Bank, US
 severe head injury definition 158–9
see also Traumatic Coma Data Bank (TCDB)
- National head and spinal cord injury studies 4
- National Acute Spinal Cord Injury Study (NASCIS II) 428
- National Head and Spinal Cord Injury Study (NHSCIS) 9
 children 13, 14
 costs of head injury 15
- National public health records 3, 4
- Near infrared spectroscopy (NIRS) 75, 144, 218, 223, 376
- Nebulization, β_2 -agonists 324, 348
- Necrotic brain, removal 416
- Needle thoracostomy 278
- Nephrogenic diabetes insipidus 320
- Neuroendocrine axis 308, 310
- Neurofilament proteins 44–5
- Neurogenic hypertension 339
 pulmonary edema 326–7, 340, 351, 354
- Neurological conditions, pre-existing 282
 observation 278
 sheet 147
see also Coma scales
 rehabilitation 21
- Neuromuscular blockade *see* Muscle relaxants
- Neuronal death 75, 135
 delayed and selective loss 137
 energy consumption 92
 gene regulation 135
 ischemia 79
 membranes, effect of shearing forces 124, 128
- Neuroprotection 423–38
 clinical evaluation 425–35
 main targets 424
- Neurosurgical diagnosis 343
- Neurosyphilis 152
- Neurotransmitter agonist-receptor abnormalities 50, 60
 antagonists 81, 83
 clinical evaluation 432–5
- Neurotransmitters 128, 223
 excitatory 125, 293
 metabolic effects 94
- New Zealand, mortality 6, 7
- Nimodipine 75, 76, 77, 134
 clinical evaluation 430–2
- Nitric oxide (NO) 91, 135
- Nitrogen excretion 308
- Nitroglycerin 247
- Nitrous oxide (N_2O) 369
 CBF studies 217, 363
- NMDA receptor 432
 activation 50, 60
 antagonists 81, 83, 432, 433
 free magnesium 264
- Nodes of Ranvier 45, 46, 126
- Non-accidental injury *see* Child abuse
- Non-depolarizing muscle relaxants 343, 345, 368–9, 373
- Non-hemorrhagic contusions 51
- Non-impact injury 32

- Non-ketotic hyperglycemic hyperosmolar coma (NHHc) 327
- Non-steroidal anti-inflammatory drugs (NSAIDs) 380
- Norepinephrine (noradrenalin) 90, 356, 357, 373
- Nottingham Health Profile 441
- Nursing staff
recognition abnormal values 105
trauma team 273
- Nutritional
problems, pre-existing 282
support 313–15, 352
- Obesity 282, 352
- Observational studies, closed head injury 29
- Occipital impacts 26–7, 28, 31, 33, 54
- Ocular
deviation, forced 154
rupture at altitude 289
- Oculocardiac reflex 154
- Oculocephalic reflexes 154
- Oculomotor
nerves, disorders of 450–1
paralysis 152
- Oculovestibular reflex 154, 445
- Odontoid peg fracture 170
- Omega conotoxins 134
- Open barrier edema *see* Vasogenic edema
- Opiates, effects on pupils 152
- Opioids 309, 345, 365, 367, 373, 374, 379, 380
- Optic nerve injury 152, 153, 154, 450
- Oral intubation 344
- Orbital
fractures, blow-out 168
swelling 156
- Organ donation 445, 446–7
- Orientation 156–7
- Oropharyngeal airways 340
- Osmolality 297, 355
total plasma 295–6
- Osmotic
brain edema 49
gradient, mannitol therapy 396
- Outcome 64–5, 439–61
brain death 444–7
see also Brain death
clinical examination and 163–4
delayed complications 451–4
Glasgow Outcome Scale 439–42
nutrition 315
operative delay 75, 76
predictors of mortality 104, 150, 238
Glasgow Coma Score 77, 150
raised intracranial pressure (ICP) 101–2
vegetative state 44, 65, 73, 159, 440, 447–9
when to assess 442–3
- Oval pupil 153
- Oxygen
delivery (DO_2) 298
and consumption (VO_2) 293–4
effects of head injury on 338–40
from alveoli to tissues 336–7
distribution from atmosphere to alveoli 334–6
hyperbaric 400
peripheral extraction and utilization 337–8
see also P_{aO_2} ; Supplemental oxygen
- Oxygen-hemoglobin dissociation curve 336–7
- Oxygenation, brain tissue 92
- P_50 336–7
- P_aCO_2 92, 93
adequacy of ventilation 335
brain death 445, 446
low levels 395
relationship with
CBF 90, 388
ICP 394
- Painful stimuli 148, 149
- Pancuronium 345, 368
- Panda eyes 84
- P_aO_2 92, 336
altitude effects on 288
levels after brain injury 93
weaning from ventilator 348
- Papilledema 155
- Paramedics 272
- Parasagittal vein, bleeding 416
- Parenchymal
electronic sensors 144
small vessels, coalescence and rupture 128
- Parenteral nutrition 305
daily allowances, nutrients and vitamins 314
glucose administration 313
- Partial pressures *see* P_aCO_2 ; P_aO_2
- Pathology 29, 39–70
- Patient-controlled analgesia 380
- Patient-ventilator dyssynchrony 344–5
- Pedal cycle accidents 11, 12, 17
helmets 20
- Pedestrians 11–12, 17
- Pediatric coma scales 150–1
- Pegboard tests 158
- Pelvic
examination 279
X-ray 281
- Penetrating injuries 55, 84–5, 173, 175
entrapped air at altitude 289
missile injuries 123
visual pathway damage 450
- Pentobarbitone 366, 399
- Percutaneous dilatational tracheostomy 344
- Performance IQ tests 455, 457
- Perfusion imaging 266
- Pericallosal artery ischemia 201, 202
- Perineum, examination 279
- Periorbital swelling 149, 154
- Peripheral edema 305
- Peritoneal lavage 280
- Perivascular hemorrhage 126
- Periventricular lucency 81
- Personality changes 441, 442, 443, 454, 457–8
five-point scale 458
relationship to previous personality 458
- Petechial hemorrhages, MRI 179, 185, 186
- Pethidine 367
- Petrous bone fractures 84, 156
BAEP absence 237
sixth nerve palsy 451
- Phase and coherence data, EEG 234
- Phencyclidine (PCP) 137, 433
- Phenobarbitone 366, 379
- Phenylephrine 356, 373
- Phenytoin 379, 453, 454
drug interactions 333
inhibition ADH release 309, 317, 318
- Phosphates, MRS studies 262–3
- Phosphorous MR spectrum 262
- Physical disabilities 439, 441
neurophysical sequelae 441, 442, 449
- Physiological saline 300, 303, 312, 327, 342
hemorrhagic shock models 306, 307
- Pituitary gland
hypothalamic control 308, 310
injury to 308, 320
- Plain film radiography 167–8
- Plantar reflexes 155, 158
- Plaques jaunes 52, 53
- Plasma
COP 295, 296
equivalents 298–9, 300
osmolality 295–6, 297
sodium 297
- Plasma-protein derivatives 298–9
- Platelets 83
disorders 421
- Pleural drainage 278
- Pneumocephalus
imaging 197
nitrous oxide 369
- Pneumonia, nosocomial 349–50
- Pneumothorax 278, 279
effect of altitude on undrained 289
nitrous oxide 369
- Polyamines 134
- Polyethylene-glycol-conjugated superoxide dismutase (PEG SOD) 134
clinical evaluation 429
- Polygeline 299, 300, 342, 356
- Polyneuropathy 345
- Pontine lesions, clinical signs 152, 154
- Pontomedullary disruption 62–3, 62
- Population-based
national studies 4, 8–10
regional studies 10
- Positioning, patient 350, 374, 401
head elevation 355
leg elevation 374
- Positive end-expiratory pressure (PEEP) 346–7, 395
- Positive pressure ventilation 309, 345
weaning from 348–9, 352
- Positron emission tomography (PET) 167, 217–18, 224, 225, 226
glucose metabolism 97, 128
vegetative state 447
- Post-coma disturbance (PCD) 161
- Post-traumatic amnesia (PTA) 157, 159–61, 456, 457
concussive syndromes 47
diffuse axonal injury (DAI) 44
duration of 163, 454
head injury severity 14
rehabilitation 21
- Postconcussion syndrome 47
- Posterior cerebral arteries
infarction 204
ischemia 200, 201, 202
transcranial Doppler 245, 246
- Posterior fossa hematomas 78
surgery 416
- Potassium 294
daily requirements 312–13
efflux to ECF 124, 125, 132, 312
uptake by astrocytes 132, 139
see also Hyperkalemia; Hypokalemia
- Power spectral analysis, EEG 233, 235, 236
in traumatic coma 233–4
- Pre-existing medical conditions 281–3, 290, 333
- Precapillary sphincters 90, 91
- Prednisolone 428
- Preferred hand 157
- Pregnancy 283
- Preload 337, 352–3

- Pressure
 controlled ventilation 346
 sores, TCD measurements 246
 support ventilation (PSV) 346, 349
 waves, ICP 214
 waveforms 214–15
- Pressure-volume index (PVI) 96, 107, 109, 110, 111, 394
 formulae 108
- Prevalence 3, 4
- Prevention 16–17
- Priapism 279
- Prigatono's classification of deficits 457
- Primary
 axotomy 41, 46
 brain injury *see* Brain injury: primary
 brain-stem hemorrhages 62
 hypoaldosteronism 323
 survey 145, 146, 276, 277–8
- Prognosis 145, 163, 442
 EEG 231, 232
 power spectral analysis 233–4
 evoked potentials 240
 brain-stem auditory evoked 236, 237
 somatosensory evoked 238
 Glasgow Coma Scale 150
 pupillary light reflex 153
see also Outcome
- Propofol 345, 363–5, 373, 374, 379, 397
- Prosthetic eye 153
- Protein
 catabolism 307
 molecules 295
 requirements 313
 synthesis, effect of neurotrauma 135, 308
- Proton MRS studies 264, 265
- Pseudo-hypoaldosteronism 323
- Pseudobulbar syndromes 449
- Pseudomembrane development 79
- Psychiatric symptoms 459
- Ptosis 152
- Public
 education 16–17
 health records, national 3, 4
- Pulmonary
 capillary wedge pressure 282
 edema 296, 305, 345
 neurogenic 326–7, 340, 351, 354
 hypertension 336
 thromboembolism 336, 351–2
- Pulmonary artery
 catheterization 353
 pressure monitoring 352, 353, 354
 wedge pressure (PAWP) 303, 304
- Pulsatile blood volume (dV) 112
- Pulsatility indices, Doppler 115, 246, 247, 249, 392
 standardized 252, 253
- Pulse
 amplitude, ICP 214
 oximetry 342, 348, 375
 rate 155
 strength of 343
- 'Punch-drunk syndrome', boxers 65–6
- Pupillary light reflex 151, 153, 154, 445
 loss of 152
- Pupils 151–4
 asymmetry 391
 barbiturate therapy 398
 localizing hematomas 411
- Purulent secretions 350
- Pyrexia 85
- Question mark trauma scalp flap 412, 413
- Radiography, plain film 167–8
- Random breath testing 17
- Rate 3, 4
- Raven colored matrix test 157
- Ravens Progressive Matrices 454
- Reabsorption, hemorrhage 52, 53
- Red cells
 diapedesis 126
 transfusions 298, 305, 356
- Refeeding syndrome 325
- Reflex scale, five-point 154
- Regional
 anesthetic techniques 286, 380
 Resource Trauma Center 20
- Rehabilitation 21, 163
- Relative motion concept, brain injury 33–4
- Relatives 442
 costs to family 15, 16
 counseling 459
 discussing
 organ donation 446
 treatment withdrawal 444
- Renal
 impairment, pre-existing 283, 333
 sodium excretion 309, 311–12
- Renin-angiotensin-aldosterone system 312
- Rescue services, deployment of 272
- Resonance, definition 261–2
- Resonium A 324
- Respiratory
 conditions, pre-existing 282
 management
 after initial resuscitation 344–52
 initial resuscitation 277, 340–2
 quotient (RQ) 335
 rate 155
- Resuscitation 276, 277
 accident site 272
 airway management 340–2
 circulation 342
 intravenous therapy 293, 294
 monitoring 343
 sedation and analgesia 343
 ventilation 342
- Retinal hemorrhages 155
- Retraction balls, axonal 41, 42, 43, 44, 45, 46, 125, 126, 136
- Retrograde amnesia 47, 157, 159–60, 456
- Retromandibular pressure, eye opening 148, 149
- Reverse steal 394
- Richmond screw 211
- Right
 atrial pressure 352
 catheters, placement 354
 ventricular ejection fraction 353, 354
 ventricular preload 352
- Rigid cavities, effect of altitude 289
- Riluzole 435
- Ringer's lactate 278, 300, 301, 303, 307, 342
 hemorrhagic shock models 304, 305, 306
- Road construction and traffic safety 17
- Rocuronium 368–9
- Rostral pons
 focal lesions 43, 44
 secondary hemorrhages 63
- Rotary-wing aircraft 283, 284, 287, 290
- Rotational acceleration of head *see* Angular acceleration of head
- Royal Adelaide Hospital treatment algorithm 402, 404
- Royal Flying Doctor Service 284
- Rural areas 273
 Trauma Hospitals 20
- Sagittal sinus
 pressure 109
 systems analysis 113–14
 superior, MR venogram 202–3, 205
- Salbutamol, nebulized 324, 348
- Saline
 equivalents 298
see also Hypertonic saline; Physiological saline
- Scalp examination 156
- Schirmer's test of lacrimation 158
- Scopolamine 137
- Seat belts 11, 18–19
 bruising 279
 children 14, 19
 internal carotid artery occlusion 85
- Second messenger systems 133
- Secondary
 axotomy 41–2, 45
 brain injury *see* Brain injury: secondary
 brain stem lesions 63
 survey 145, 146, 276, 278–80
 watershed ischemia 203
- Sedation 342, 345, 363–83, 402
 during transportation 393
- Seizures
 EEG monitoring 232
 power spectral analysis 233
 hyponatremia 319
 management 378–9, 464
 occult 402
 propofol 365
 thiopentone 366
see also Epilepsy
- Selfotel (GCS 19755) 433, 434
- Semicoma 148
- Sensation, assessing 158
- Sepsis 354
- Septic shock 351
- Seventh cranial nerve damage 158, 451
- Severity, trauma 7–8
 assessment of injury 40, 158–64
 coma scales 144, 146, 147–51
 conscious level 146
 prospective grading 158–9
 retrospective grading 159–61
- Sevoflurane 363, 371
- Shaken baby syndrome 204
- Shape, striking object 26
- Shearing forces 28, 30, 122, 123
 effect on
 axons 125–6
 ion channels 124
 microvasculature 126
 synapses 125
- Shivering 377
- Shock
 fluid management 302, 356
 spinal 327
- Short Form 36: 441
- Short-term memory 456
- Shunt 336
- 'Sick cell' syndrome 316
- Sickness Impact Profile 441
- Single photon emission tomography (SPECT) 167, 172–3
 brain death 206
 CBF and brain metabolism 218
 ischemia 201, 205
 subdural hematomas 190, 192
 vasogenic edema 139
- Six-month outcome 442
- Size of pupils 153
- Skeletal conditions, pre-existing 282
- Skew deviation 154

- Skull
 deformation 26, 32
 films 77, 167–8
 fractures *see* Fractures
 Sleep patterns, within EEG 231, 232
 Small pupils, bilateral 152
 Smell testing 157
 Smooth muscle cells, response to
 transmural pressure 91
 Snellen test 157
 Social restraint, lack of 456, 458
 Society of British Neurosurgeons 71
 Sodium 294, 300, 355
 daily requirements 312
 effect of stress on movement of 309,
 311–12
 plasma 297
see also Hypernatremia; Hyponatremia
 Sodium nitroprusside 247, 356–7, 372
 Sodium pentobarbital 355
 Somatosensory evoked potentials 237–9, 240
 grading 238
 median nerve 231
 Source data 3, 4
 SPECT *see* Single photon emission
 tomography (SPECT)
 Speech 157, 454, 457
 restoration after coma 159
 verbal scores 455
 Speed control 17–18
 Sphenoid fractures 168, 173, 451
 Spinal
 cord injuries 327
 abdominal paradoxical breathing 338
 clinical signs 155, 279
 endotracheal intubation 277, 278, 341,
 374
 imaging 167, 168, 170, 171, 281
 risk of, accident site management 272
 reflexes, brain dead patients 447
 Spindle pattern coma 232
 Spironolactone 323
 Splanchnic ischemia 337
 Spontaneous roving eye movements 154
 Sporting and recreational injuries 12, 47
 Squint, divergent 152
 Stab wounds 123
 Staphylococcal meningitis 84
 Starling forces 296
 Starvation 307, 308
 Statham pressure transducer 210
 Status epilepticus 48, 232, 365
 possible causes 464
 Steroids 399, 429
see also Corticosteroids
 Stiffness, striking object 26, 29
 Strain
 gauges 210
 rate 28
 Stress
 effect on fluid and electrolyte
 movements 309, 311–12
 genes 135
 hyperglycemia 282
 metabolic 307, 308, 309
 tensile or compressive 28
 Striking object, physical properties 26
 Stroke volume 337
 STYCAR toys 157
 Subarachnoid hemorrhage 52, 79, 80, 435
 cerebral vasospasm 85
 ICD-9 CM rubric 6
 imaging
 CT 174, 192, 194, 195, 196
 MRI 196
 nimodipine trials 134, 431–2
 pathology 56–61
 secondary brain damage 76, 77
 Subarachnoid screws 211
 Subconjunctival hemorrhages 84
 Subdural bolts 211
 Subdural hematoma 78–9, 126, 127–8, 409
 asymptomatic patients 410
 boxing 65
 chronic 61, 79
 conservative therapy 410
 glutamate elevation 432
 ICD-9 CM rubric 6
 imaging 188, 190, 193, 203, 204
 CT 81, 175, 178, 181, 184, 191, 192, 193,
 194, 195, 197
 MRI 172, 190, 191, 193, 194
 SPECT 192
 pathology 59, 60–2
 surgery 413, 415–16
 effect of operative delay 75, 76
 Subfalcine herniation 79, 80
 Sucking pneumothorax 278
 Sufentanil 367
 Sulcal hematoma 51, 52
 Superior sagittal sinus, MR venogram
 202–3, 205
 Superoxide
 anion 48
 dismutase 429
 Supplemental oxygen 334–5, 342
 Suprorbital pressure, eye opening 148
 Surface contusions 51, 52, 54, 55, 122
 Surfactant, neurogenic depletion 340
 Surgery 409–21
 airborne neurosurgical services 283, 290
 ICP reduction 400–1
 indications for 409–11
 intentional hypothermia 376
 setting priorities 280–1
 specific problems 416–21
 Surgical tracheostomy 344
 Surgicell 415
 Surveillance, head injury 20
 Suxamethonium 367–8, 373
 Sweating, absence of 155
 Swedish Reaction Scale (RLS85) 149
 Synaptic function, effect of shear forces on
 125
 Synchronized intermittent mandatory
 ventilation (SIMV) 346
 weaning from 349
 Syndrome of inappropriate
 ADH secretion (SIADH) 312, 316, 317
 antidiuresis (SIAD) 316
 Synergistic damage models 137–8
 Systemic
 inflammatory response syndrome (SIRS)
 338–9
 vascular resistance (SVR) 337
 Systems analysis 113–14
 T-piece weaning 349
 Tachyarrhythmias 339
 Tachycardia 155, 342
 Tachypnea 156
 Taste, testing 157
 Teleradiology 273
 Temperature 279, 376–7
 effect on ICP 402
see also Hypothermia
 Temporal burrholes 411–12
 Tendon reflexes 155, 158
 Holmes-Adie syndrome 152
 Tension pneumothorax 278
 Tentorial herniation 63, 64, 79, 80, 175, 183,
 193, 197–200, 386
 clinical signs 151, 152, 153
 Thalamus, hemorrhage 56, 56
 Thermal diffusion techniques 218, 221
 Thermoregulation *see* Temperature
 Theta frequency, return of 234
 ‘Think First Prevention Programme’ 16
 Thiopentone 365, 366, 373, 374, 379, 398–9
 Third
 nerve palsy 79, 152, 153, 450
 ventricle, imaging 199, 200
 Thoracic injury 279, 281
 Thoracostomy 278, 352
 Thrombocytopenia 83
 Tidal volumes, alveolar overdistension 345
 Tirilazad 134, 399
 clinical evaluation 429–30
 Tonicity 297, 298
 Tonsillar herniation 63, 80
 Trace element requirements 314–15
 Tracheal stenosis 344
 Tracheostomy 341–2, 344
 Transcranial Doppler (TCD) 74, 144, 218,
 220, 223, 243–59, 376, 392
 in diagnosis of brain death 255
 long-term measurements on ICU 246,
 247
 results of analysis 249–54
 role in monitoring therapy 254–5
 signal processing and data collection
 247–9
 theory of 244–5
 Transducers, ICP monitoring 210, 211, 215
 catheter-tip 212, 213
 implanted microchip 212, 213
 Transport-related injuries 10–12, 16
 Transportation of patients 272–3, 290
 airborne 283–9
 deterioration in conscious state 286
 preparation of patient 286
 selection of aircraft 286–9
 control of ICP and CPP 393
 intrahospital 280–1
 Trauma
 care systems 20–1
 centers, level 1 273, 290
 definition 4
 general aspects of 271
 ICD classification 5
 Score 8
 teams 273
 criteria for assembly 276
 Traumatic Coma Data Bank (TCDB) 95,
 102, 386, 409
 outcome studies 443
 vegetative state 448
see also National Coma Data Bank
 Traumatic encephalopathy, boxers 12, 65–6
 Treatment *see* Management of head injury
 Trigeminal nerve, testing 158
 Triple lumen bolt 225
 TRISS 8
 Tromethamine (THAM) 395, 399–400
 clinical evaluation 426
 Tube feeding, discontinuing 449
 Ubiquitin 45
 Ultra-fast echo planar imaging, MRI 172
 Unbonded strain gauge 210
 United Kingdom
 mortality 6, 7
 population-based study 9–10
 Upper torso acceleration 25
 Urea 298

- Urethral rupture 279
- Urinary catheterization 279
- USA
 - mortality 7, 10
 - population-based study 9
- Vascular
 - component, raised ICP 387
 - injury 126–8
 - diffuse 40, 57, 61
 - pathology 50–5
 - quantitation 40
- Vasoconstriction and vasodilation, effect on sodium excretion 311, 312
- Vasogenic edema 49, 52, 80, 81, 138, 139, 390
 - diffusion-weighted imaging 266
- Vasomotor paralysis 106, 111, 112
- Vasopressin 309, **311**
- Vasopressors 342, 356–7
- Vasospasm 395
 - middle cerebral arteries 254
- Vault fractures, infection 83–4
- Vecuronium 368, 373
- Vegetative state 44, 65, 73, 159, 440, 447–9
 - limiting treatment 443, 444
 - recovery from 448
- Vena caval filters 352
- Venous outflow pressure 109, 111
- Ventcontrol MTC 213
- Ventilation 342, 377–8
 - adequacy of 335
 - of brain dead patients 447
 - disconnection
 - accidental 344
 - intentional, brain death tests 445
 - management of 348
 - modes of 345–6
 - principles of 344–5
 - weaning from 348–9
 - pre-existing physical limitations 352
 - see also* Hyperventilation
- Ventilation-perfusion mismatching 336
- Ventilator-associated pneumonia 349–50
- Ventricular
 - catheters 211, 394
 - hemorrhage *see* Intraventricular hemorrhage (IVH)
 - puncture 209–10
- Ventriculostomy 144
 - related infection 111
- Verbal responses 148, 149
- Vertebral arteries 89
- Vestibular dysfunction 451
- Visceral rupture 279
- Viscoelastic properties 386, **387**, 389–90
- Vision, assessment 157
- Visual
 - evoked potentials 234, 236
 - pathway damage 450
- Vitamin requirements 314–15
- Volatile anesthetic agents 369–71
- Voltage-gated ion channels 123–4, 125, 133, 134
- Volume
 - pressure response (VPR) 109, 111, 113, 388–90
 - status monitoring 352–3
- Volume-controlled ventilation 345–6
- Volutrauma 345
- Wallerian degeneration 45, 126
- Water
 - and electrolyte balance, disorders of 315–26
 - proton nuclear spins, labeling 222
 - total body 294, 295
- Water-bath humidifiers 348
- Water-equivalent solutions 298, 300, 301
- Wayne State tolerance curve 30–1, 32, 35
- Wechsler Adult Intelligence Scale (WAIS) 454
- Westmead PTA scale 161
- Whiplash injury 31
- Whole
 - blood 298, 303
 - hemorrhagic shock models 304
 - brain death 445
- Windscreens 18
- Work, return to 439, 443
- World Medical Association, brain death declaration 444
- Wound examination 156
- Wright's respirometer 348
- Xenon CBF measurements 94–5, 97, 190
 - stable-xenon-enhanced CT **224**
 - advantages and limitations 220
 - cerebral blood volume 220–1
 - clinical studies 219–20
 - methodology 219
 - threshold for ischemia 96
 - Xenon-133 studies 217, 218–19
- Zinc, daily requirements 314